

 pulses®



**HIGH TECH
GLOVES**

Tactile



Durable



High
Technical
level



Breathable



***YOUR
SUCCESS
IS IN YOUR
HANDS***

 digitX®

digitx-gloves.com

DURALUX

PALM 60-10



ANTI
MICROBIAL
TREATMENT

21.000
abrasion
cycles

Description

Protective glove against mechanical risks. 15G blue nylon/lycra with new generation spraying nitrile palm coated glove

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Microporous sandy nitrile.
Liner: Nylon/lycra
Cuff: Nylon/lycra + elastic
Binding: Polyester

Benefits

The glove that breaths.
So you feel safe and protected!

- A thin, light glove that absorbs perspiration without reducing the tactile feel. Seamless knit nylon/lycra liner.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance, tripling the maximum requirement for level 4 (21.000 abrasion cycles), getting maximum grip even in adverse conditions and keeping the maximum touch, as our second skin. We don't know if someone can do it, but Digitx® can get it!
- Seals and protects the hand against mechanical risks while remaining flexible.
- Surface enables a secure grip on slippery objects. Designed for easy movement and continuous wear. Extended protection and precision handling.
- Greater hygiene thanks the **anti-microbial** treatment: long-lasting, safe and fresh wearing comfort.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Applications: handling of small components, maintenance, assembly, using tools and instruments, logistics, automotive industry, mining, general building, construction, agriculture, ...



EN 388
4131X



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com



DURALUX

3/4 COATED 60-11



ANTI
MICROBIAL
TREATMENT

21.000
abrasion
cycles

Description

Protective glove against mechanical risks. 15G blue nylon/lycra with new generation spraying nitrile 3/4 coated glove

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Microporous sandy nitrile.
Liner: Nylon/lycra
Cuff: Nylon/lycra + elastic
Binding: Polyester

Benefits

The glove that breaths.
So you feel safe and protected!

- A thin, light glove that absorbs perspiration without reducing the tactile feel. Seamless knit nylon/lycra liner.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance, tripling the maximum requirement for level 4 (21.000 abrasion cycles), getting maximum grip even in adverse conditions and keeping the maximum touch, as our second skin. We don't know if someone can do it, but Digitx® can get it!
- Seals and protects the hand against mechanical risks while remaining flexible.
- Surface enables a secure grip on slippery objects. Designed for easy movement and continuous wear. Extended protection and precision handling.
- Greater hygiene thanks the **anti-microbial** treatment: long-lasting, safe and fresh wearing comfort.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Applications: handling of small components, maintenance, assembly, using tools and instruments, logistics, automotive industry, mining, general building, construction, agriculture, ...



EN 388
4131X



The coating does not go through the liner

Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com



DURALUX

COATED 60-12



Description

Protective glove against mechanical risks. 15G blue nylon/lycra with new generation spraying nitrile coated glove

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Microporous sandy nitrile. Liner: Nylon/lycra
Cuff: Nylon/lycra + elastic
Binding: Polyester

Benefits

The glove that breaths.
So you feel safe and protected!

- A thin, light glove that absorbs perspiration without reducing the tactile feel. Seamless knit nylon/lycra liner.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance, tripling the maximum requirement for level 4 (21.000 abrasion cycles), getting maximum grip even in adverse conditions and keeping the maximum touch, as our second skin. We don't know if someone can do it, but Digitx® can get it!
- Seals and protects the hand against mechanical risks while remaining flexible.
- Surface enables a secure grip on slippery objects. Designed for easy movement and continuous wear.
- Extended protection and precision handling.
- Greater hygiene thanks the **anti-microbial** treatment: long-lasting, safe and fresh wearing comfort.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Applications: handling of small components, maintenance, assembly, using tools and instruments, logistics, automotive industry, mining, general building, construction, agriculture, ...



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

DIGILUX PALM 60-20



super light Only 19 g!
foam nitrile



Description

Protective glove against mechanical risks. 15G grey nylon/lycra with black **super thinner** foam nitrile palm coating glove

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards **EN420** and **EN388**

Composition

Coating: Micro foam nitrile.
Liner: Nylon/lycra
Cuff: Nylon/lycra + elastic
Binding: Polyester

Benefits

Even thinner!

Extended tactility and sensitivity

- **Super thin** foam nitrile palm coating glove: Ultra thin glove that absorbs perspiration without reducing the tactile feel.
- Seamless knit nylon/lycra liner.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance (level 4), getting maximum grip even in adverse conditions and keeping the maximum touch, as our second skin. We don't know if someone can do it, but DigitX® can get it!
- Seals and protects the hand against mechanical risks while remaining flexible.
- Surface enables a secure grip on slippery objects. Designed for easy movement and continuous wear.
- Extended protection and precision handling.
- Greater hygiene thanks the **anti-microbial** treatment: long-lasting, safe and fresh wearing comfort.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Applications: handling of small components, automotive, construction, assembly, maintenance, logistic, packaging, paper, plastics, building, small tools, ...



EN 388
4121X



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com

digitX®

DIGILUX COATED 60-22



super light Only 23 g!
foam nitrile



Description

Protective glove against mechanical risks. 15G grey nylon/lycra with black **super thinner** foam nitrile fully coating glove

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Micro foam nitrile.
Liner: Nylon/lycra
Cuff: Nylon/lycra + elastic
Binding: Polyester

Benefits

Even thinner!
Extended tactility and sensitivity

- **Super thin** foam nitrile palm coating glove: Ultra thin glove that absorbs perspiration without reducing the tactile feel.
- Seamless knit nylon/lycra liner.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance (level 4), getting maximum grip even in adverse conditions and keeping the maximum touch, as our second skin. We don't know if someone can do it, but Digitx® can get it!
- Seals and protects the hand against mechanical risks while remaining flexible.
- Surface enables a secure grip on slippery objects. Designed for easy movement and continuous wear.
- Extended protection and precision handling.
- Greater hygiene thanks the **anti-microbial** treatment: long-lasting, safe and fresh wearing comfort.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Applications: handling of small components, automotive, construction, assembly, maintenance, logistic, packaging, paper, plastics, building, small tools, ...



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com



RACERLUX

COATED 60-32

Driver's style



WATER
PROOF

Description

Protective glove against mechanical risks.
15G black nylon/lycra with black super thinner foam nitrile coating of driver glove

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Micro foam nitrile.
Liner: Nylon/lycra
Cuff: Nylon/lycra + elastic
Binding: Polyester

Benefits

Flexible and durable

- Super thin foam nitrile glove, driver's style.
- Seamless knit nylon/lycra liner. Soft feel lining.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5) and absolute and maximum abrasion resistance.
- Seals and protects the hand against mechanical risks while remaining flexible.
- Good grip and fit: Its design gives better grip and greater glove hand movement. Designed for easy movement and continuous wear.
- Extended protection and precision handling in oil, greasy and dirty environments.
- Elastic on reverse for an improved fit and better comfort. Easy on and off flexibility between tasks.
- Gloves are suitable for multi-purpose use. Ideal for handling in dirty environments, assembly, building, construction, carpentry, machinery, automotive, etc.



long
Life

EN 388



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com

digitX®

DRYLUX COATED 60-42

Optimized grip!

The rough powered finish improves the glove's grip



WATER
& OIL
PROOF

Double coating

Description

Protective glove against mechanical risks.
15G blue nylon/lycra with blue flat nitrile fully coating and black sandy nitrile palm coating

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: 2 layers nitrile
Liner: Nylon/lycra
Cuff: Nylon/lycra + elastic
Binding: Polyester

Benefits

Water and oil repellent.
Flexible and durable

- Nitrile glove, **water and oil repellent**. Seamless knit nylon/lycra liner.
- Excellent dexterity, sensitivity and facility, combining a long-life glove, reaching a maximum dexterity level (level 5), and absolute and maximum abrasion resistance.
- Seals and protects the hand against mechanical risks while remaining flexible.
- **Very good grip**: Palm and fingertips made of sandy finish. It provides an excellent grip, whether in dry, wet or water applications. The rough powered finish improves the glove's grip and grasping of objects in a greasy or damp environment.
- Excellent resistance to liquid permeation. Oil does not penetrate the glove.
- Extended protection and precision handling in oily, greasy and dirty environments. It stays flexible and liquid proof in contact with oil.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Ideal for handling in wet, oily and greasy environments, dirty environments, assembly, building, construction, carpentry, machinery, automotive, etc.



EN 388
4131X



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com

digitX®

SCANDYLUX

60-52



Description

Protective glove against mechanical and thermal risks. 15G orange polyester shell + 10G orange terry acrylic brushed double layer with black super thinner foam nitrile fully coating with waterproof treatment

Winter glove



Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420, EN388

Composition

Coating: Micro foam nitrile.
Lining: Acrylic
Cuff: Polyester + elastic
Binding: Polyester

Benefits

Water resistant glove for cold and wet conditions

- Fully coated with super thin foam nitrile. It includes 10G napped acrylic liner. Very soft to protect against cold, ensuring superior insulation.
- The ergonomic seamless knit construction conforms better to the natural shape of the hand for greater strength and durability, superior comfort.
- Extra cold resistance: ideally suited to tasks where workers need protection from the cold, maintaining comfort and dexterity.
- Suitable for use in wet/cold environments. Excellent resistance to liquid permeation.
- Seals and protects the hand against mechanical risks while remaining flexible and warm.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Excellent abrasion resistance equal to heavier gloves.
- Maximum flexibility and dexterity (level 5).
- Applications: assembly, building, construction, carpentry, machinery, automotive, forestry, transport, etc.



EN 388



4121X



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

HANDYLUX

PALM 60-60



ultra light!

Only
18 g

Description

Protective glove against mechanical risks.
15G white nylon-lycra with new generation foam nitrile palm coated glove.

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Micro foam nitrile.
Liner: Nylon/lycra
Cuff: Nylon/lycra + elastic
Binding: Polyester

Benefits

Flexible and durable

- Seamless light glove that absorbs perspiration without reducing the tactile feel.
- Seamless glove. Knit nylon/lycra liner.
- Breathable back for comfort.
- Micro-foam nitrile coating offers a good breathability.
- Good grip in dry and wet conditions.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), and absolute and maximum abrasion resistance.
- Seals and protects the hand against mechanical risks while remaining flexible.
- Knitted wrist helps to prevent dirt and debris from entering the glove.
- Light grey coating/white lining.
- Applications: handling of small components, maintenance, assembly, using tools and instruments, logistics, automotive industry, mining, general building, construction, small tools, ...



long
Life

Anti
finger
print



EN 388

4121X



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com

digitX®

HANDYLUX COATED 60-62



ultra light!

Only
24 g

Description

Protective glove against mechanical risks.
15G white nylon-lycra with new generation foam nitrile fully coated glove.

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Micro foam nitrile.
Liner: Nylon/lycra
Cuff: Nylon/lycra + elastic
Binding: Polyester

Benefits

Flexible and durable

- Light glove that absorbs perspiration without reducing the tactile feel.
- Seamless glove. Knit nylon/lycra liner.
- Extra protection: Fully coated.
- Good grip in dry and wet conditions.
- Micro-foam nitrile coating offers a good breathability.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), and absolute and maximum abrasion resistance.
- Seals and protects the hand against mechanical risks while remaining flexible.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Light grey coating/white lining.
- Applications: handling of small components, maintenance, assembly, using tools and instruments, logistics, automotive industry, mining, general building, construction, small tools, ...



long
Life

Anti
finger
print



EN 388



4121X



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com

digitX®

armolux

PALM 62-10

Optimized grip!

Raised stripes to increase durability and additional grip



Only 19 g!

Description

Protective glove against mechanical risks.
15G spandex/nylon liner with nitrile micro foam palm coating, with embossing

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Micro foam nitrile.
Liner: Nylon/spandex
Cuff: Nylon/spandex + elastic
Binding: Polyester



Benefits

Optimized grip

- Seamless liner and ergonomic design assure a maximum comfort and minimum hand fatigue.
- Back of the hand is uncoated for good breathability. Micro-foam nitrile coating offers a good breathability.
- **Very good grip:** ArmoLux® incorporates raised stripes to increase durability and additional grip, without the loss of dexterity. The stripes improve the glove's grip and grasping of objects in a greasy or damp environments.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), and absolute and maximum abrasion resistance.
- Seals and protects the hand against mechanical risks while remaining flexible.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Ideal for gardening, automobile and aircraft maintenance, light industry assembly line, plastics injection and moulding, transportation, agriculture, aeronautics, electronic...



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

armolux

COATED 62-12

Optimized grip!

Raised stripes to increase durability and additional grip

Description

Protective glove against mechanical risks.
15G spandex/nylon liner with nitrile micro foam full coating, with embossing

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Micro foam nitrile.
Liner: Nylon/spandex
Cuff: Nylon/spandex + elastic
Binding: Polyester

Benefits

Optimized grip

- Seamless light glove that absorbs perspiration without reducing the tactile feel.
- Seamless glove. Knit nylon/spandex liner.
- Extra protection: Fully coated, to protect against splash from liquids and oils.
- Micro-foam nitrile coating offers a good breathability.
- **Very good grip:** ArmoLux® incorporates raised stripes to increase durability and additional grip, without the loss of dexterity. The stripes improve the glove's grip and grasping of objects in a greasy or damp environment. The gloves are compatible with light oils.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), and absolute and maximum abrasion resistance.
- Seals and protects the hand against mechanical risks while remaining flexible.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Ideal for gardening, automobile and aircraft maintenance, light industry assembly line, plastics injection and moulding, transportation, agriculture, aeronautics, electronic...



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

armolux

TOUCH SCREEN

62-14

Optimized grip!

Raised stripes to increase durability and additional grip

Description

Protective glove against mechanical risks.
15G spandex/nylon liner with nitrile micro foam full coating, with embossing

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Micro foam nitrile.
Liner: Nylon/spandex
Cuff: Nylon/spandex + elastic
Binding: Polyester

Benefits

Optimized grip

- Seamless light glove that absorbs perspiration without reducing the tactile feel.
- Seamless glove. Knit nylon/spandex liner.
- Extra protection: Fully coated, to protect against splash from liquids and oils.
- Micro-foam nitrile coating offers a good breathability.
- **Very good grip:** ArmoLux® incorporates raised stripes to increase durability and additional grip, without the loss of dexterity. The stripes improve the glove's grip and grasping of objects in a greasy or damp environment. The gloves are compatible with light oils.
- Excellent dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), and absolute and maximum abrasion resistance.
- Seals and protects the hand against mechanical risks while remaining flexible.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Ideal for gardening, automobile and aircraft maintenance, light industry assembly line, plastics injection and moulding, transportation, agriculture, aeronautics, electronic...



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

DRY CUT

64-23

CUT RESISTANT

Double coating



Description

Protective glove against mechanical risks.
Cut protection
13G Digitx® cut resistant fibres
liner double dipped sandy nitrile coating

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: 2 layers of nitrile.
Digitx® cut resistant fibres.
Binding: polyester

Benefits

Excellent cut protection: level C

- Fully nitrile sandy double coating provides superior grip in dry, wet and oily conditions.
- Special seamless knit Digitx® cut resistant fibres shell offers good comfort, finger dexterity and high protection.
- Excellent mechanical resistances.
- Excellent resistance to liquid permeation.
- Oil and water does not penetrate the glove, keeping hands dry.
- It combines cut protection with oil grip, excellent dexterity, sensitivity and tactility: long-life glove, reaching a maximum dexterity level (level 5), and absolute and maximum abrasion resistance.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove. Anatomically shaped to provide good fit.
- Dark coating hide dirt.
- Ideal for glass handling operations, general maintenance, piscatorial, sheet metal handling, sharp small parts handling, waste handling and recycling, construction, ...



WATER
& OIL
PROOF

long
Life



EN 388



4X43C



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com

digitX®

BLADELUX

64-10

CUT RESISTANT

Padded on palm



Description


Protective glove against mechanical risks. Cut protection 13G Digitx® cut resistant fibres liner with grey PU coating and PU/Nylon/Silicon sewed on palm.

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Digitx® cut resistant fibres and grey PU coating
PU/Nylon/Silicon sewed on palm
Binding: polyester



Benefits

Excellent cut protection: level D Pads on palm

- High performance Digitx® cut resistant fibres provide excellent cut resistance while maintaining flexibility and dexterity (level 5).
- Excellent mechanical resistances: 4X43.
- Light, comfortable and anti-vibration pads.
- Seals and protects the hand against mechanical risks while remaining flexible.
- Polyurethane coating will stretch with the hand, provide good grip and is form-fitting to reduce hand fatigue and increase worker comfort and productivity.
- Pads sewed on the palm enhance the puncture level and durability.
- Extra-long knitted wrist helps to prevent dirt and debris from entering the glove.
- Ideal for glass handling operations, general maintenance, wood working, sheet metal handling, waste handling and recycling, sharp small parts handling, ...

Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

ROBUSTOLUX

64-31

CUT **RESISTANT**
Reinforced!



Description

Protective glove against mechanical risks.
13G Digitx® cut resistant fibres liner with nitrile sandy finish coated, and PU sewed on thumb crotch

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards **EN420** and **EN388**

Composition

Coating: Foam microporous nitrile.
Liner: Digitx® cut resistant fibres
Binding: Polyester

Benefits

Reinforced

- Cut protection 13G glove.
- High tech granulated micro foam sandy finished nitrile coated glove.
- Fully nitrile sandy coating provides superior grip in dry, wet and oily conditions.
- Reinforced thumb. PU sewed on thumb crotch, prevents injuries and extends glove lifetime.
- Excellent cut protection: level D.
- Special seamless knit ultrahigh molecular weight polyethylene and Digitx® cut resistant fibres offer increased comfort, finger dexterity and breathability. It combines cut protection with oil grip, excellent dexterity, sensitivity and tactility.
- Excellent mechanical resistances.
- Excellent resistance to liquid permeation.
- An elastic extra-long cuff ensures a secure fit, preventing dirt and protecting partial the forearm.
- Ideal for glass handling operations, general maintenance, wood working, sheet metal handling, waste handling and recycling, sharp small parts handling, ...



EN 388



4X42D



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL



Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com

digitX®

GRIPCUT

64-40

CUT RESISTANT
Optimized grip!



Description

Protective glove against mechanical risks.
13G Digitx® cut resistant fibres and polyester/spandex with micro foam nitrile coating and nitrile dots on the palm

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: Foam porous nitrile.
Liner: Digitx® cut resistant fibres, polyester and spandex
Binding: Polyester

Benefits

Optimized grip

- Cut protection glove (level D)
- 13G Digitx® cut resistant fibres, polyester, spandex with micro foam nitrile coating and nitrile dots on the palm.
- The dots increase grip, reducing hand fatigue and increasing comfort.
- GripCut® incorporates micro dots to increase durability and additional grip, without the loss of dexterity.
- An elastic extra-long cuff ensures a secure fit, preventing dirt and debris from entering the glove.
- Excellent mechanical resistances.
- It combines cut protection with oil grip, excellent dexterity, sensitivity and tactility.
- Back of the hand is uncoated for good breathability.
- Excellent resistance to liquid permeation.
- Ideal for glass handling, gardening, automobile and aircraft maintenance, light industry assembly line, plastics injection and moulding, transportation, agriculture, aeronautics, electronic...



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

PICCUT PALM 64-50

CUT RESISTANT

Reinforced!

Between thumb and forefinger

CUT
B

Description

Protective glove against mechanical risks.
13G Digitx® cut resistant fibres/
nylon/spandex liner with PU
coating, reinforcement nitrile
at the thumb crotch

Standards

Gloves conform to the requirements
of the EU Regulation 2016/425 and to
the European standards EN420
and EN388

Composition

Coating: Water polyurethane
Liner: Digitx® cut resistant fibres,
nylon and spandex.
Reinforcement nitrile thumb scotch.
Binding: polyester

Benefits

Reinforced

- 13G Digitx® cut resistant fibres/nylon/spandex liner with water PU coating.
- Good cut protection: level B.
- Reinforcement nitrile at the thumb crotch extends the glove lifetime and prevents injuries.
- Back of the hand is uncoated for good breathability while thumb crotch area is reinforced with nitrile patch to reduce wear in critical area.
- Special seamless knit nylon and spandex shell offers increased comfort, finger dexterity and breathability.
- It combines cut protection with oil grip, excellent dexterity, sensitivity and tactility.
- An elastic extra-long cuff ensures a secure fit, preventing dirt.
- Ideal for glass handling operations, general maintenance, wood working, sheet metal handling, waste handling and recycling, sharp small parts handling, ...



long
Life



EN 388



4X42B



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com

digitX®

OXYLUX

60-80



Ultra light
Only 23 g!

VERY COMFORTABLE!

Description

Protective glove against mechanical risks.
15G nylon/spandex with a new generation foam nitrile palm coating glove

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: New generation porous nitrile
Liner: Pre-shaped nylon/spandex.
Binding: polyester

Benefits

Design & performance. Maximum comfort!

- High quality glove that combines design and performance for precision handling. Seamless pre-shaped knit nylon/spandex liner. With a thin coating porous foam nitrile on the palm.
- Ultra lightweight glove with great elasticity and making hand movements easier.
- Excellent breathability, getting the maximum comfort during long periods of use. The user will keep the hands dry, even in warm conditions.
- Unrivaled dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance and keeping the maximum touch, as our second skin.
- Snug fit. It seals and protects the hand against mechanical risks while remaining flexible.
- Greater hygiene thanks the **anti-microbial** treatment: long-lasting, safe and fresh wearing comfort.
- Knitted extra-long wrist helps to prevent dirt and debris from entering the glove.
- Applications: dry handling of small components, maintenance, assembly, using tools and instruments, logistics, automotive industry, mining, general building, construction, agriculture, ...



EN 388



4131X



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com



OXYLUX DOTS

60-90

Ultra light

NEW
2019

Optimized grip!



VERY COMFORTABLE!

Description

Protective glove against mechanical risks.
15G nylon/spandex with a new generation foam nitrile palm coating glove

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards EN420 and EN388

Composition

Coating: New generation porous nitrile
Liner: Pre-shaped nylon/spandex.
Binding: polyester

Benefits

Optimized grip. Maximum comfort!

- High quality glove that combines design and performance for precision handling. Seamless pre-shaped knit nylon/spandex liner. With micro foam nitrile coating and nitrile dots on the palm.
- Ultra lightweight glove with great elasticity and making hand movements easier.
- The dots increase grip & durability, reducing hand fatigue and increasing comfort & grip.
- Excellent breathability, getting the maximum comfort during long periods of use. The user will keep the hands dry, even in warm conditions. Unrivalled dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance and keeping the maximum touch, as our second skin.
- Snug fit. It seals and protects the hand against mechanical risks while remaining flexible.
- Greater hygiene thanks the **anti-microbial** treatment: long-lasting, safe and fresh wearing comfort.
- Knitted extra-long wrist helps to prevent dirt and debris from entering the glove.
- Applications: dry handling of small components, maintenance, assembly, using tools and instruments, logistics, automotive industry, mining, general building, construction, agriculture, ...



ANTI
MICROBIAL
TREATMENT



EN 388



4131X



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

digitx-gloves.com

digitX®

CUTFORT

64-60



Ultra light

NEW
2019

30% lighter!

Description

Protective glove against mechanical risks.
18G UHMWPE nylon liner
Nitrile palm coated
Cut resistant glove

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards **EN420** and **EN388**

Composition

Coating: Sandy nitrile
Liner: UHMWPE
Binding: Polyester

Benefits

Extra thin & breathable

- 18G exclusive lining technology contributing it the thinnest and finest cut B nitrile glove.
- Over 30% lighter than a standard cut B nitrile glove.
- Perfect dexterity, flexibility, super comfort and very good fitting.
- Unrivalled dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance and keeping the maximum touch, as our second skin.
- Super grip in both dry and oily working conditions.
- Snug fit. It seals and protects the hand against mechanical risks while remaining flexible.
- Greater hygiene thanks the **anti-microbial** treatment: long-lasting, safe and fresh wearing comfort: **Sanitized®** hygiene function.
- Knitted extra-long wrist helps to prevent dirt and debris from entering the glove.
- Washable: We have developed in-house tests for our cut protective gloves which can withstand 10 washes with cut level remaining the same. Wash at 40°C max.
- Applications: Automotive industry, glass industry, paper industry, blades manufacturing, machinery and equipment maintenance...



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)

TORN-O-LUX

64-70

**NEW
2019**

CUT LEVEL F!

Description

Protective glove against mechanical risks.
13G UHMWPE/steel/glass
Nitrile palm coated
Cut resistant glove

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards **EN420** and **EN388**

Composition

Coating: Nitrile
Liner: UHMWPE/steel/glass
Binding: Polyester

Benefits

Extra thin & breathable

- The highest ISO 13997 cut level F and ANSI CUT A8 glove.
- Advanced yarns technology providing the highest cut protection but still soft, flexible and comfortable. Ideal for heavy duty work and critical cut/blade hazards.
- Foam nitrile coating provides great grip.
- Super oil resistance.
- Unrivalled dexterity, sensitivity and tactility, combining a long-life glove, reaching a maximum dexterity level (level 5), absolute and maximum abrasion resistance and keeping the maximum touch, as our second skin.
- Snug fit. It seals and protects the hand against mechanical risks while remaining flexible.
- Greater hygiene thanks the **anti-microbial** treatment: Long-lasting, safe and fresh wearing comfort. **Sanitized®** hygiene function.
- Knitted extra-long wrist helps to prevent dirt and debris from entering the glove.
- Washable: We have developed in-house tests for our cut protective gloves which can withstand 10 washes with cut level remaining the same. Wash at 40°C max.
- Applications: Automotive industry, glass industry, paper industry, blades manufacturing, machinery and equipment maintenance...



**ANTI
MICROBIAL
TREATMENT**

Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (Individual)

TACTYLUX

61-15



Ultra light
Only 14 g!

NEW
2019

TOUCHSCREEN

Description

Protective glove against mechanical risks.
18G nylon liner.
Micro-foam nitrile palm coated
Cut resistant glove

Standards

Gloves conform to the requirements of the EU Regulation 2016/425 and to the European standards **EN420** and **EN388**

Composition

Coating: Foam nitrile
Liner: Nylon
Binding: Polyester

Benefits

Extra thin & touchscreen

- The lightest weight glove with perfect dexterity, flexibility and minimum hand fatigue.
- More than 35% lighter than a standard foam nitrile glove.
- Advanced coating technology combines super abrasion resistance performance with the lightest and thinnest glove.
- 360° breathability to keep your hands cool and comfortable full day. Super soft, comfortable and good fitting.
- 10-finger touchscreen functionality enables you to use all touch screen devices on the job.
- Snug fit. It seals and protects the hand against mechanical risks while remaining flexible.
- Greater hygiene thanks the **anti-microbial** treatment: long-lasting, safe and fresh wearing comfort.
- Knitted extra-long wrist helps to prevent dirt and debris from entering the glove.
- Washable: We have developed in-house tests for our cut protective gloves which can withstand 10 washes with cut level remaining the same. Wash at 40°C max.
- Applications: Small and precise objects handling, assembly, maintenance, glass and screen industries, logistics, using tools, wiring...



Sizes

6/XS 7/S 8/M 9/L 10/XL 11/XXL

Packaging unit

144 pairs per box | 12 pairs per polybag
Supplied with hang tag (individual)